



January - March 2009

Sefton DAAT

Quarter 4 2008/09

Lloyd Baron, Steven Griffith, Martin Chandler, Jim McVeigh

DRAFT REPORT The final version will be available on the IAD website

www.cph.org.uk/iad

Acknowledgements:

The Authors would like to thank the following for their valuable contributions to the production of this report: Ellie McCoy and Paul Duffy.

We would also like to thank the data providers for their efforts in assisting and maintaining the monitoring process.

Contacts: Martin Chandler IAD Manager Centre for Public Health Faculty of Health & Applied Social Sciences Liverpool John Moores University Castle House North Street L3 2AY

(0151) 231 4531 m.chandler@ljmu.ac.uk

Lloyd Baron IAD Researcher

(0151) 231 4521 L.R.Baron@ljmu.ac.uk

www.cph.org.uk/iad

Contents

Introduction		1
Arrest Referral		3
	Table 1: Individuals assessed, by Gender	
	and Age Group	
	Table 2: Year to Date, by Gender and Age Group	
	Table 3: Reported Main Drug(s) of Use, by Frequency of Use	
Syringe Exchange	Services	5
Agend		-
	Table 4: Individuals by Gender	
	Table 5: Individuals by Gender: Steroid Users omitted	
	Table 6: Individuals by Age Group	
	Table 7: Individuals by Age Group: Steroid Users omitted	
	Table 8: Gender by Age Group of Individuals	
	Table 9: Gender by Age Group: Steroid Users omitted	
	Table 10: Year to Date, by Gender & Age Group	
	Table 11: Year to Date, by Gender & Age Group: Steroid Users omitted	
	Table 12: Main Drug of Use for New Agency Syringe Exchange	
	Clients, by Gender	
	Table 13: Main Drug of Use for All Agency Syringe Exchange	
	Clients, by Gender	
	Table 14: Main Drug of Use, for New Agency Syringe ExchangeClients, by Age Group	
Pharm		11
	Table 15: Individuals by Gender	
	Table 16: Individuals by Age Group	
	Table 17: Year to Date, by Gender & Age Group	
Comb		12
	Table 18: Individuals in Syringe Exchange, by Gender	
	Table 19: Individuals in Syringe Exchange, by Gender: Steroid Us omitted	ers
	Table 20: Individuals in Syringe Exchange, by Age Group	
	Table 21: Individuals in Syringe Exchange, by Age Group: Steroid Users omitted	
	Table 22: Year to Date, by Gender & Age Group	
	Table 23: Total Syringes Provided	

<u>Page</u>

National Drug Trea	atment Monitoring System (NDTMS)	14
	Table 24: Individuals in contact with Treatment Services, by Gende	ər
	Table 25: Year to Date, by Gender	
	Table 26: Individuals in contact with Treatment Services, by Age	
	Group	
	Table 27: Year to Date, by Age Group	
	Table 28: Ethnicity of Individuals in Contact with Treatment Service	es
	Table 29: Individuals in contact with Treatment Services, by Main	
	Drug of Use	
Connexions		17
	Table 30: Individuals in Contact with Connexions, by Gender	
	Table 31: Year to Date, by Gender	
	Table 32: Individuals in Contact with Connexions, by Age	
	Table 33: Year to Date, by Age	
	Table 34: Individuals in Contact with Connexions by Drug/Alcohol	
	Problem	
	Table 35: Year to Date, by Drug/Alcohol Problem	

Combined Datasets

Table 36: Total Problem Drug Users reported to the IAD, by Gender and Age Group Table 37: Year to Date, by Gender & Age Group 19

20

Cross Matched Datasets

Fig 1: Crossover between Agency Syringe Exchange and NDTMS datasets Fig 2: Crossover between Pharmacy Syringe Exchange and NDTMS datasets

Introduction

The Inter Agency Drug Misuse Database (IAD), established by Merseyside Drug (and Alcohol) Action Teams, Merseyside Police and the Public Health Sector (now Centre for Public Health) in 1997, supports the need for local information on drug misuse. In particular the IAD aims to:

- Provide comprehensive reporting of problem drug users' (PDUs') characteristics including a range of demographics and the types of drugs used.
- Reflect levels of service and intervention activity.
- Assist in D(A)AT's (and other responsible bodies) performance management.
- Facilitate the planning and development of services and interventions for PDUs.
- Identify gaps in service provision and delivery, as well as under-served groups as specified by the National Treatment Agency and Department of Health and by the Centre for Public Health, through interrogation of available data.
- Highlight changes in levels, demographics and characteristics of drug user populations.
- Report back to both individual D(A)ATs and service providers in the form of audits and quarterly reports as well as responding to ad hoc requests.
- Provide summary reporting on an annual basis.

To enable the above the IAD collects data from as many agencies in contact with drug users as possible and is continually seeking to expand the range and scope of data providers. Data are currently collected from criminal justice services, needle exchange schemes (both pharmacy and agency-based), the National Drug Treatment Monitoring System (NDTMS) and Connexions (young people).

Data considerations

Analysis of data depends on the provision of attributable information. Each service provider records first and last initials, date of birth and gender, for each individual they record a contact with. The combination of these details provides an identifier (attributor) for each individual (e.g.: HF07/12/1974M). This is a nationally recognised system and allows individuals to be tracked through different service providers and across time whilst retaining an acceptable degree of anonymity. The attributor is essential to avoid double counting of individuals both within and across datasets, as well as enabling us to match across datasets. The D(A)AT referred to is the D(A)AT of contact unless otherwise stated.

The IAD will *only* be reporting attributable data for each dataset. In the past, report deadlines have been missed due to data arriving too late to be cleaned and analysed in time, or more often because the data requires a great deal of cleaning and validation before analysis. These reports are useful only if they can arrive within timelines useful to D(A)ATs (ie: in time for NTA quarterly submissions). For this reason, reports will now be sent out according to a strict timetable, with each quarter's report to be sent in the first week of the third month following the close of the reporting period. Any data that is missing or non-attributable will not be included in the report.

Year-to-Date figures will be provided for the current financial year, and will incorporate updated figures from previous quarters. The figures are calculated by aggregating successive quarterly datasets to omit double counting of those who present to services in each quarter. Year-to-Date data will be the most accurate reflection of annual service activity and will override previous quarterly data.

The Centre for Public Health will continue to work closely with service providers and D(A)ATs in order to improve both the timeliness and quality of monitoring data provided to the IAD. Many service providers are turning to electronic recording of data and it is hoped this will vastly improve the quality of the data as systems improve.

ARREST REFERRAL (AR)

Quarter 4 (2008/09)

Introduction

Raw data are provided by the Drug Intervention Programme (DIP) Team based at the Centre for Public Health, Liverpool John Moores University. The data supplied are for validated contacts within specified D(A)AT areas and are aggregated to one person per D(A)AT area. Individuals may therefore appear more than once within the final dataset if they have been seen in more than one D(A)AT area, but only once for each D(A)AT area within the reporting period.

Gender	n	%
Male	57	82.6
Female	12	17.4
Age Group		
Under 18	0	0.0
18-19	7	10.1
20-24	19	27.5
25-29	14	20.3
30-34	11	15.9
35-39	8	11.6
40-44	6	8.7
45+	4	5.8
Total	69	100

Table 1: Individuals assessed, by Gender & Age Group

Table 2: Year to Date, by Gender & Age Group

		Gei	nder			
	Male		Female		Total in A	ge Group
Age Group	n	%	n	%	n	%
Under 18	0	0.0	0	0.0	0	0.0
18-19	29	9.3	3	3.7	32	8.1
20-24	64	20.4	10	12.3	74	18.8
25-29	58	18.5	17	21.0	75	19.0
30-34	48	15.3	20	24.7	68	17.3
35-39	61	19.5	9	11.1	70	17.8
40-44	27	8.6	16	19.8	43	10.9
45+	26	8.3	6	7.4	32	8.1
Total	313	100	81	100	394	100

Drug of Use	Daily	Weekly
Amphetamines	0	0
Benzodiazepines	1	0
Cannabis	7	2
Crack	10	6
Cocaine	2	11
Ecstasy	0	1
Heroin	21	3
Methadone	2	0
Other	0	0

Table 3: Reported Main Drug(s) of Use, by Frequency of Use

NB: The complexity of the drug profiles reported through arrest referral is such that we have decided the best way of reporting the data is to provide figures for the number of people reporting Daily or Weekly use of each drug. Where "Main drug" is provided in the original data it does not always match the other substances reported as being used daily; consequently, this method of reporting should provide a more accurate picture of drug use as reported through Arrest Referral rather than simply stating the "Main Drug". However it should be noted that some people may report several drugs being used and will therefore be counted in the figures for each drug they report. For this reason totals are not provided.

SYRINGE EXCHANGE SERVICES

Quarter 4 (2008/09)

Introduction

Data are collected directly from syringe exchange providers. Analysis of syringe exchange data allows performance monitoring of harm reduction services at both D(A)AT and service provider level.

AGENCY SYRINGE EXCHANGE

Table 4: Individuals by Gender

New Clients	n	%
Male	27	87.1
Female	4	12.9
Total	31	100
All Clients		
Male	201	91.0
Female	20	9.0
Total	221	100

Table 5: Individuals by Gender: Steroids Users Omitted

New Clients	n	%
Male	5	55.6
Female	4	44.4
Total	9	100
All Clients		
Male	124	86.1
Female	20	13.9
Total	144	100

	New	Clients	All C	lients
Age Group	n	%	n	%
Under 18	0	0.0	0	0.0
18-19	0	0.0	1	<1
20-24	13	41.9	31	14.0
25-29	7	22.6	29	13.1
30-34	6	19.4	38	17.2
35-39	1	3.2	52	23.5
40-44	2	6.5	39	17.6
45+	2	6.5	31	14.0
Total	31	100	221	100

Table 6: Individuals by Age Group

Table 7: Individuals by Age Group: Steroid Users omitted

	New	Clients	All C	lients
Age Group	n	%	n	%
Under 18	0	0.0	0	0.0
18-19	0	0.0	0	0.0
20-24	2	22.2	10	6.9
25-29	2	22.2	13	9.0
30-34	2	22.2	23	16.0
35-39	1	11.1	42	29.2
40-44	1	11.1	32	22.2
45+	1	11.1	24	16.7
Total	9	100	144	100

		Ge	nder	
	М	ale	Fei	nale
Age Group	n	%	n	%
Under 18	0	0.0	0	0.0
18-19	1	<1	0	0.0
20-24	29	14.4	2	10.0
25-29	27	13.4	2	10.0
30-34	34	16.9	4	20.0
35-39	49	24.4	3	15.0
40-44	37	18.4	2	10.0
45+	24	11.9	7	35.0
Total	201	100	20	100

Table 8: Gender by Age Group of Individuals

Table 9: Gender by Age Group: Steroid Users omitted

		Gei	nder	
	N	lale	Fer	nale
Age Group	n	%	n	%
Under 18	0	0.0	0	0.0
18-19	0	0.0	0	0.0
20-24	8	6.5	2	10.0
25-29	11	8.9	2	10.0
30-34	19	15.3	4	20.0
35-39	39	31.5	3	15.0
40-44	30	24.2	2	10.0
45+	17	13.7	7	35.0
Total	124	100	20	100

		Gei	nder			
	M	ale	Fen	nale	Total in A	ge Group
Age Group	n	%	n	%	n	%
Under 18	1	<1	0	0.0	1	<1
18-19	5	1.1	0	0.0	5	1.0
20-24	69	15.1	4	6.9	73	14.2
25-29	82	17.9	6	10.3	88	17.1
30-34	73	16.0	15	25.9	88	17.1
35-39	99	21.7	13	22.4	112	21.7
40-44	81	17.7	13	22.4	94	18.3
45+	47	10.3	7	12.1	54	10.5
Total	457	100	58	100	515	100

Table 10: Year to Date, by Gender & Age Group

Table 11: Year to Date, by Gender & Age Group: Steroid Users Omitted

		Gei	nder				
	M	ale	e Female		Total in A	in Age Group	
Age Group	n	%	n	%	n	%	
Under 18	0	0.0	0	0.0	0	0.0	
18-19	3	1.0	0	0.0	3	<1	
20-24	21	7.3	4	6.9	25	7.2	
25-29	37	12.8	6	10.3	43	12.4	
30-34	49	17.0	15	25.9	64	18.4	
35-39	80	27.7	13	22.4	93	26.8	
40-44	66	22.8	13	22.4	79	22.8	
45+	33	11.4	7	12.1	40	11.5	
Total	289	100	58	100	347	100	

	Gender						
	l l l l	Male	Fer	nale			
Drug of Use	n	%	n	%			
Amphetamines	0	0.0	0	0.0			
Benzodiazepines	0	0.0	0	0.0			
Cocaine	0	0.0	0	0.0			
Crack	0	0.0	0	0.0			
Heroin	3	11.1	2	50.0			
Methadone	0	0.0	1	25.0			
Melanotan	0	0.0	0	0.0			
Steroids	22	81.5	0	0.0			
Other	2	7.4	1	25.0			
Total*	27	100	4	100			

Table 12: Main Drug of Use for New Agency Syringe Exchange Clients, by Gender

Please Note: Due to changes in reporting methods we will now only report drug of use for new clients. Information on drug of use for all clients is available on request.

	Gender						
	M	ale	Fen	nale			
Drug of Use	n	%	n	%			
Amphetamines	0	0.0	0	0.0			
Benzodiazepines	0	0.0	0	0.0			
Cocaine	1	<1	1	4.8			
Crack	2	1.0	0	0.0			
Heroin	48	23.3	7	33.3			
Methadone	4	1.9	4	19.0			
Melanotan	5	2.4	1	4.8			
Steroids	77	37.4	0	0.0			
Other	69	33.5	8	38.1			
Total*	206	100	21	100			

Table 13: Main Drug of Use for All Agency Syringe Exchange Clients, by Gender

*Please Note: Totals may not be concurrent due to the reporting of Melanotan clients. Further details are available on request.

		heta- ine		zodi- pine	Coc	aine	Cra	ack	Не	roin	Meth	adone	Stei	roids
Age Group	n	%	n	%	n	%	n	%	n	%	n	%	n	%
Under 18	-	-	-	-	-	-	-	-	0	0.0	0	0.0	0	0.0
18-19	-	-	-	-	-	-	-	-	0	0.0	0	0.0	0	0.0
20-24	-	-	-	-	-	-	-	-	1	20.0	0	0.0	11	50.0
25-29	-	-	-	-	-	-	-	-	2	40.0	0	0.0	5	22.7
30-34	-	-	-	-	-	-	-	-	1	20.0	1	100	4	18.2
35-39	-	-	-	-	-	-	-	-	0	0.0	0	0.0	0	0.0
40-44	-	-	-	-	-	-	-	-	1	20.0	0	0.0	1	4.5
45+	-	-	-	-	-	-	-	-	0	0.0	0	0.0	1	4.5
Total*	-	-	-	-	-	-	-	-	5	100	1	100	22	100

Table 14: Main Drug of Use for New Agency Syringe Exchange Clients, by Age Group

* % Totals are by Drug, not Age Group.

Please Note: Due to a change in reporting methods main drug of use by age group will only be reported for new clients. Information on age group for all clients is available on request.

PHARMACY SYRINGE EXCHANGE

Table 15: Individuals by Gender

New Clients	n	%	
Male	192	87.7	
Female	27	12.3	
Total	219	100	
All Clients			
Male	439	88.0	
Female	60	12.0	
Total	499	100	

Table 16: Individuals by Age Group

	New	Clients	All Clients		
Age Group	n	%	n	%	
Under 18	2	< 1	5	1.0	
18-19	8	3.7	11	2.2	
20-24	23	10.5	44	8.8	
25-29	43	19.6	85	17.0	
30-34	46	21.0	92	18.4	
35-39	41	18.7	115	23.0	
40-44	34	15.5	87	17.4	
45+	22	10.0	60	12.0	
Total	219	100	499	100	

Table 17: Year to Date, by Gender & Age Group

		Gei	nder			
	M	Male		nale	Total in Age Group	
Age Group	n	%	n	%	n	%
Under 18	8	< 1	0	0.0	8	< 1
18-19	23	1.9	1	< 1	24	1.7
20-24	113	9.3	10	5.3	123	8.8
25-29	187	15.4	44	23.3	231	16.5
30-34	210	17.3	50	26.5	260	18.6
35-39	269	22.2	46	24.3	315	22.5
40-44	235	19.4	24	12.7	259	18.5
45+	167	13.8	14	7.4	181	12.9
Total	1,212	100	189	100	1,401	100

COMBINED PHARMACY AND AGENCY SYRINGE EXCHANGE

Analyses here are based on an aggregated combination of Agency and Pharmacy-based datasets for the reporting period. Data are aggregated by attributor and D(A)AT to one person per D(A)AT area.

New Clients	n	%	
Male	217	87.5	
Female	31	12.5	
Total	248	100	
All Clients			
Male	628	88.8	
Female	79	11.2	
Total	707	100	

Table 18: Individuals in Syringe Exchange, by Gender

Table 19: Individuals in Syringe Exchange, by Gender: Steroid Users Omitted*

New Clients	n	%	
Male	195	86.3	
Female	31	13.7	
Total	226	100	
All Clients			
Male	551	87.5	
Female	79	12.5	
Total	630	100	

*Only known steroid users, based on Agency SES data, have been omitted.

Table 20: Individuals in Syringe Exchange, by Age Group

	New	Clients	All C	lients			
Age Group	n	%	n	%			
Under 18	2	< 1	5	< 1			
18-19	8	3.2	12	1.7			
20-24	36	14.5	75	10.6			
25-29	50	20.2	113	16.0			
30-34	52	21.0	124	17.5			
35-39	41	16.5	164	23.2			
40-44	35	14.1	124	17.5			
45+	24	9.7	90	12.7			
Total	248	100	707	100			
Total	248	100	707				

	New Clients		All C	lients
Age Group	n	%	n	%
Under 18	2	< 1	5	< 1
18-19	8	3.5	11	1.7
20-24	25	11.1	54	8.6
25-29	45	19.9	97	15.4
30-34	48	21.2	109	17.3
35-39	41	18.1	154	24.4
40-44	34	15.0	117	18.6
45+	23	10.2	83	13.2
Total	226	100	630	100

Table 21: Individuals in Syringe Exchange by Age Group: Steroid Users Omitted

Table 22: Year to Date, by Gender & Age Group

		Ger	nder			
	N	lale	Fer	nale	Total in A	ge Group
Age Group	n	%	n	%	n	%
Under 18	7	< 1	0	0.0	7	< 1
18-19	31	1.9	1	< 1	32	1.7
20-24	179	11.1	12	5.0	191	10.3
25-29	267	16.5	50	20.9	317	17.1
30-34	274	17.0	64	26.8	338	18.2
35-39	348	21.5	58	24.3	406	21.9
40-44	304	18.8	34	14.2	338	18.2
45+	205	12.7	20	8.4	225	12.1
Total	1,615	100	239	100	1,854	100

Table 23: Total Syringes Provided

	Agency	Pharmacy	Total (Q)	Year to Date
Barrels	9,375	23,809	33,184	170,060

NB: We will no longer be reporting needle returns as it is not possible to accurately calculate them from the data available. Total Syringes include exchanges by non-attributable individuals.

National Drug Treatment Monitoring System (NDTMS) Quarter 4 (2008/09)

Background

The NDTMS is the official method for measuring the extent and nature of structured drug treatment in England and Wales. The system is commissioned by the NTA and is operated through nine regional centres – corresponding to the nine government offices for the regions.

Data here are aggregated to one individual per D(A)AT. Individuals presenting in more than one D(A)AT within the quarter's time period will therefore be represented more than once in the original data. The D(A)AT referred to is D(A)AT of treatment.

New Clients

Figures presented here for "new" clients are calculated using the triage date. Those individuals triaged within the reporting period are taken as new clients for this report. However, it should be noted that these individuals may have been triaged, or in contact with treatment services, before this period.

New Clients	n	%
Male	205	73.7
Female	73	26.3
Total	278	100
All Clients		
Male	1,416	71.9
Female	553	28.1
Total	1,969	100

Table 24: Individuals in Contact with Treatment Services, by Gender

Table 25: Year to Date, by Gender

New Clients	n	%
Male	695	74.8
Female	234	25.2
Total	929	100
All Clients		
Male	1,449	71.8
Female	568	28.2
Total	2,017	100

	New Clients		All C	lients
Age Group	n	%	n	%
Under 18	34	12.2	212	10.8
18-19	3	1.1	37	1.9
20-24	26	9.4	170	8.6
25-29	36	12.9	236	12.0
30-34	48	17.3	374	19.0
35-39	59	21.2	456	23.2
40-44	44	15.8	286	14.5
45+	28	10.1	198	10.1
Total	278	100	1,969	100

Table 26: Individuals in Contact with Treatment Services, by Age Group

Table 27: Year to Date, by Age Group

	New Clients		All C	lients
Age Group	n	%	n	%
Under 18	113	12.2	215	10.7
18-19	21	2.3	37	1.8
20-24	80	8.6	176	8.7
25-29	117	12.6	248	12.3
30-34	162	17.4	381	18.9
35-39	185	19.9	465	23.1
40-44	150	16.1	290	14.4
45+	101	10.9	205	10.2
Total	929	100	2,017	100

	New	Clients	All C	lients
Ethnicity	n	%	n	%
White British	271	97.5	1,917	97.4
White Irish	1	<1	7	<1
Other White	3	1.1	18	<1
White & Black Caribbean	0	0.0	0	0.0
White & Black African	0	0.0	2	<1
African	0	0.0	2	<1
White & Asian	0	0.0	0	0.0
Other Black	0	0.0	4	<1
Caribbean	0	0.0	0	0.0
Chinese	0	0.0	1	<1
Other	2	<1	11	<1
Unknown	1	<1	7	<1
Total	278	100	1,969	100

Table 28: Ethnicity of Individuals in Contact with Treatment Services

Table 29: Individuals in Contact with Treatment Services, by Main Drug of Use

	New (Clients	All C	lients
Drug of Use	n	%	n	%
Heroin	133	47.8	1,144	58.1
Methadone	12	4.3	102	5.2
Other Opiates	1	<1	19	1.0
Benzodiazepine	1	<1	10	<1
Amphetamines	3	1.1	18	<1
Cocaine	53	19.1	266	13.5
Crack	11	4.0	65	3.3
Ecstasy	1	<1	8	<1
Cannabis	57	20.5	300	15.2
Prescription Drugs	2	<1	10	<1
Other/Unknown	4	1.4	27	1.4
Total	278	100	1,969	100

CONNEXIONS

Quarter 4 (2008/09)

Background

Connexions provide a support service for young people, aged 13-19. The Greater Merseyside Connexions Partnership provides data presented here.

Table 30: Individuals in Contact with Connexions, by Gender

Gender	n	%
Male	56	60.2
Female	37	39.8
Total	93	100

Table 31: Year to Date, by Gender

Gender	n	%
Male	84	59.2
Female	58	40.8
Total	142	100

Table 32: Individuals in Contact with Connexions, by Age

Age Group	n	%
16	22	23.7
17	28	30.1
18	28	30.1
19	15	16.1
Total	93	100

Table 33: Year to Date, by Age

Age Group	n	%
16	28	19.7
17	44	31.0
18	37	26.1
19	33	23.2
Total	142	100

Substance	n	%
Alcohol/Other*	24	25.8
Drugs	69	74.2
Total	93	100

Table 34: Individuals in Contact with Connexions by Drug/Alcohol Problem

*"Other" is generally used to refer to solvents although this is not necessarily always the case.

Table 35: Year to Date, by Drug/Alcohol problem

Substance	n	%	
Alcohol/Other*	37	26.1	
Drugs	105	73.9	
Total	142	100	

*"Other" is generally used to refer to solvents although this is not necessarily always the case.

COMBINED DATASETS Quarter 4 (2008/09)

Introduction

Data presented here are drawn from a combination of datasets relating to Arrest Referrals, Probation, Syringe Exchange (Agency and Pharmacy), NDTMS and Connexions. The combined data are aggregated on attributor and D(A)AT area of intervention (except Probation, which is based on residence), to produce overall figures for numbers of individuals in contact with services reporting to the IAD. Figures presented here will not necessarily reflect the combined totals of data presented earlier as duplicate attributors are removed. These figures should not be taken as a measure of prevalence of problem drug users, but reflects the total number of problem drug users in contact with a range of agencies. Further information on the processes of data manipulation, aggregation and analysis is available from the IAD Manager.

Gender	n	%	
Male	633	24.2	
Female	1,984	75.8	
Age Group			
Under 18	244	9.3	
18-19	98	3.7	
20-24	255	9.7	
25-29	340	13.0	
30-34	471	18.0	
35-39	566	21.6	
40-44	375	14.3	
45+	268	10.2	
Total	2,617	100	

Table 36: Total Problem Drug Users reported to the IAD, by Gender and Age Group

Table 37: Year to Date, by Gender and Age Group

	Gender					
Age Group	Male		Female		Total in Age Group	
	n	%	n	%	n	%
Under 18	199	6.3	72	8.6	271	6.8
18-19	136	4.33	39	4.7	175	4.4
20-24	382	12.1	60	7.2	442	11.1
25-29	454	14.4	133	15.9	587	14.7
30-34	534	16.9	168	20.1	702	17.6
35-39	638	20.2	182	21.8	820	20.6
40-44	457	14.5	113	13.5	570	14.3
45+	354	11.2	68	8.1	422	10.6
Total	3,154	100	835	100	3,989	100

CROSS-MATCHED DATASETS Quarter 4 (2008/09)

Data are shown for the crossover between each type of Syringe Exchange and NDTMS, separately, during the current reported quarter. For the purposes of this analysis, known steroid users were removed as they are less likely to be accessing structured drug treatment.

For methodological reasons the crossover between all three datasets will no longer be reported. Further information is available from the IAD manager if required.

NB: Numbers in brackets refer to the total reported for that service type, with steroid users omitted. These include the numbers appearing on the crossover sections. Analyses for the crossover areas are based on D(A)AT of Syringe Exchange site.




Fig 1: Crossover between Agency Syringe Exchange and NDTMS datasets

Fig 2: Crossover between Pharmacy Syringe Exchange and NDTMS datasets

